

208040" 4E54660




FIG. 4
 (PRIOR ART)




FIG. 4A
 (PRIOR ART)




FIG. 5




FIG. 5A

208040" 4E54660





FIG. 7

208040-1EE54660

208040-HEES4660




FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12

00945334-00000000



208040-4E5H660




FIG. 13C






FIG. 13D

208040-4ECSH660



09/945,334-040800

208040-4E5H660




FIG. 13G










FIG. 13H



208040-14254660



208040-HEE5H660



09445334.040802




FIG. 14A




FIG. 14B

FERRULE SD	COLLIMATOR AOI	FILTER AOI RANGE
125	1.84	1.800 1.866
129	1.91	1.866 1.930
134	1.97	1.930 1.992
138	2.03	1.992 2.052
142	2.09	2.052 2.111
146	2.15	2.111 2.167
149	2.21	2.167 2.223
.	.	.
.	.	.
.	.	.

FIG. 15

09945334-040802

LEGEND	
I	- INPUT
R	- REFLECTED
T	- TRANSMITTED




FIG. 16A




FIG. 16B




FIG. 16C

208040-HEE54660




FIG. 16D




FIG. 16E




FIG. 16F






FIG. 16G






FIG. 17

208040-1EE54660